			INTELLIGEN	NCE AGENCY REPORT	REPORT NO.		
			WI IOIA	ne,rvn,	CD NO.		50X1-HUN
į	Germany (Russ:		·		DATE DISTR.	26 Se	pt. 1950
3JECT	Launching Site Missiles at Pe	e for Guided eenemiinde			NO. OF PAGES	1	50X1-HUM
ICE QUIREI					NO. OF ENCLS.	1*	
E OF O.					SUPPLEMENT TO REPORT NO.	)	
s poculika	T CONTAINS TEFORMATION AFF	ECTION THE DAYONAL STREET					
THE UNITE S. C., 31 AN ITS CONTEN	D STATES WITHIN THE MEANING D 39, AS AMEDDED. ITS TRAVE ITS IN ANT MANNER TO AN UNI IY. REPRODUCTION OF THIS PO	6 op the Espionage act : Smission or the Revelation (Authorized Preson is Pr Dem is prohibited.	KO 200	THIS IS UN	EVALUATED INFORMA		_
			TO THE SECTION AND THE SECTION				i.
l.	A Zamahina						
	old German V	✓ weapon test	ting ground	l there. The	ected at Peenemind site is located 90	e on the Omnort	h
26	old German ( of the Kölpin Asketch givi	<i>I —</i> weapon test nsee and 1600 ing the dimens	ting ground m east of sions and s	there. The the coast. shape of the l	site is located 90	0 m nort	h
	old German of the Kölpin Asketch givi The launching	<pre>/ - weapon test nsee and 1600 ing the dimens g gear is moun g iron frames</pre>	ting ground meast of sions and s nted on a c divided in	there. The the coast.  shape of the leoncrete plate three plate	site is located 90  aunching gear is a  orm 12 x 8 m and c  forms made of corr	0 m nort ttached. onsists	h
2; !u	old German of the Kölpin Asketch giving two strong sheet metal ( Bach of these	<pre>/ - weapon test nsee and 1600 ing the dimens g gear is mour g iron frames (Riffelblech) s platforms cs</pre>	ting ground m east of sions and s nted on a c divided in on each of an be swung	there. The the coast.  shape of the leconcrete platf into three plate which there is in towards to the coards to t	site is located 90  aunching gear is a corn 12 x 8 m and c forms made of corn is room for six melter middle of the 1	0 m nort ttached. onsists igated to star	nd
V/E ₹	Asketch given the launching sheet metal ( Bach of these gear. The to sircular open	I - weapon test need and 1600 ing the dimens grear is mour griron frames (Riffelblech) explatforms can op of the laur ling in the can	ting ground m east of sions and s nted on a c divided in on each of an be swung nching gear antor. Thr	there. The the coast.  shape of the length of the plate of the plate of the plate of the plate of the coards to the covered th	aunching gear is a orm 12 x 8 m and c forms made of corrist room for six ments a metal plate wife a metal plate wife on the six ments of the six a metal plate wife on the six and six a metal plate wife or the six and six a	om nort ttached. consists igated n to stan aunching th a	nd
V/E ₹	A sketch give The launching of two strong sheet metal ( Bach of these gear. The to mircular open are fitted at	weapon test ing the dimens grear is moun griron frames (Riffelblech) e platforms ca op of the laur ling in the ca top this metal	ting ground m east of sions and s nted on a c divided in on each of an be swung nching gear entor. Thr	there. The the coast.  shape of the leconcrete platf to three platf which there is covered to be winches drach winch has	aunching gear is a orm 12 x 8 m and c forms made of corris room for six ments a middle of the 1 y a metal plate will even by electric man a lifting caractic.	om nort ttached. onsists igated n to stan aunching th a otors	nd
V/E ₹	Asketch giving two strong sheet metal ( Bach of these gear. The to sircular open are fitted at five tons. A size to the of the size to the original size of the size to the original size to the size of the size	weapon test need and 1600 ing the dimens grant is moun griron frames (Riffelblech) eplatforms ca op of the laur ling in the ca top this metal concrete "be opening at the	ting ground m east of sions and s nted on a c divided in on each of an be swung aching gear entor. Thr L plate. E	there. The the coast.  shape of the leconcrete plate to three plate which there is covered to be winches dried winch has with a degree	aunching gear is a orm 12 x 8 m and c forms made of corrist room for six ments a metal plate wife a metal plate wife on the six ments of the six a metal plate wife on the six and six a metal plate wife or the six and six a	om nort ttached. onsists igated n to stan aunching th a otors y of	nd
£ 3/1/A	Asketch given the Launching of two strong sheet metal (Bach of these gear. The topicular open are fitted at five tons. A size to the concrete plate	weapon test need and 1600 ing the dimens grear is mour grear is mour grinn frames (Riffelblech) e platforms ca op of the laur ning in the ca top this metal a concrete "ba opening at the oform.	ting ground in east of sions and sinted on a condition on each of in be swing aching gear enter. The plate. Ease plate"	there. The the coast.  shape of the leoncrete plate to three plate which there is to covered to covered the winch has with a depression of the covering plate the cov	aunching gear is a orm 12 x 8 m and c forms made of corris room for six mention a netal plate will iven by electric malifting capacity as in corresponding ate is mounted on the six mou	om nort ttached. onsists igated to star aunching th a otors of g in the	nd.
£ 3/1/A	A sketch give The launching Of two strong sheet metal ( Each of these gear. The to mircular open are fitted at five tons. A size to the concrete plat	y - weapon test need and 1600 ing the dimens grear is mour grear is mour grinn frames (Riffelblech) e platforms ca op of the laur ning in the ca top this metal decorrete "be opening at the ofform. this launching by sea. The	ting ground in east of sions and sinted on a c divided in on each of in be swing aching gear enter. Thr plate. Ease plate" a top in the control of the contr	there. The the coast.  shape of the leoncrete platint three platint which there is in towards to see winches drack winch has with a depression of Russian ma	aunching gear is a orm 12 x 8 m and c forms made of corris room for six ments a middle of the 1 y a metal plate wilven by electric malifting capacity ssion corresponding	om nort ttached. onsists igated to star aunching tha otors of gin the	nd.
2: 山//A	A sketch give The launching of two strong sheet metal ( Each of these gear. The to mircular open are fitted at five tons. A size to the o concrete plat The parts of to Peeneminde personnel only	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground in east of sions and sions and sinted on a cidivided in on each of an be swung aching gear entor. Thrible plate. Ease plate to in the gear are assembly assembly	there. The the coast.  shape of the leoncrete platint three platint which there in towards to is covered the winches drach winch has with a depression of Russian man of the parts	aunching gear is a orm 12 x 8 m and c forms made of corris room for six mention and the second to the 1 y a metal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the second to	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	A sketch given the launching of two strong sheet metal (Bach of these gear. The to mircular open are fitted at five tons. A size to the concrete plate to Peaneminde personnel only the launching	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the leoncrete platint three platint which there in towards to is covered the winches drach winch has with a depression of Russian man of the parts	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to circular open are fitted at five tons. A size to the concrete plat the parts of to Peeneminde personnel only the surmer of	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of sions and so ted on a condition of the swing sear entor. Thrulplate. Ease plate to top in the assembly assiles on the search of the sea	there. The the coast.  shape of the lencrete plate of three plate which there is covered to be winches drach winch has with a depression of Russian ma of the parts  test flights	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.
2: 山//A	old German of the Kölpin Asketch giving two strong sheet metal (Bach of these gear. The to directlar open are fitted at five tons. A size to the concrete plate. The parts of to Peeneminde personnel only the surmer of Attachment:	weapon test need and 1600 ing the dimens grear is mour grear is mour grear is mour grear is mour great frames (Riffelblech) e platforms ca op of the laur ing in the ca top this metal a concrete "ba opening at the oform. this launching by sea. The	ting ground meast of meast of sions and so the sions and so divided in on each of an be swung gear antor. Through plate. Ease plate top in the gear are assembly sailes on launching	there. The the coast.  shape of the legencrete plate to three plate winch there is covered to see winches drach winch has with a deprese covering plate test flights  site for gui	aunching gear is a form 12 x 8 m and c forms made of corris room for six mented is room for the 1 y a netal plate will iven by electric malifting capacity ssion corresponding ate is mounted on the mufacture and were was carried out by	om nort ttached. onsists igated to star aunching th a otors y of g in the brought Russian	nd.



